

From: Cheryl Carney [REDACTED]
Sent: Wednesday, October 27, 2021 6:28 PM
To: Rules Coordinator
Subject: Comment on Proposed Critical Infrastructure Rule

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Railroad Commission of Texas rulemaking,

Texans are counting on you to help ensure that we don't have a repeat of last February's deadly winter storm blackouts. State lawmakers asked the Railroad Commission to make rules to ensure that the gas supply chain was weatherized to function during future storms.

Gas fuel supply problems were the second largest cause of outages, after frozen electric generators. That's according to a recent report by the Federal Energy Regulatory Commission (FERC). The FERC report recommended steps to ensure that our natural gas supply is weatherized to survive the next storm. It's up to you to pass strong rules to make that happen.

This current rule proposal allows any operator to simply opt out of weatherizing, even if they normally supply gas to electric generators. The Railroad Commission must act to ensure that operators supplying gas to electric generation facilities are weatherized.

The proposed rule also encourages operators who aren't supplying gas to electric generators to be designated as critical infrastructure. If electricity shortages and rolling power outages are required to keep the grid stable, facilities that are unnecessarily designated as critical infrastructure could actually cause more Texans to go without power.

Please strengthen this rule to avoid a repeat of last winter's tragedy, in which hundreds died and millions were left without power.

Sincerely,
Cheryl Carney
San Antonio, TX 78201

From: Cheryl Carney [REDACTED]
Sent: Wednesday, October 27, 2021 6:28 PM
To: Rules Coordinator
Subject: Comment on Proposed Critical Infrastructure Rule

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Railroad Commission of Texas rulemaking,

Texans are counting on you to help ensure that we don't have a repeat of last February's deadly winter storm blackouts. State lawmakers asked the Railroad Commission to make rules to ensure that the gas supply chain was weatherized to function during future storms.

Gas fuel supply problems were the second largest cause of outages, after frozen electric generators. That's according to a recent report by the Federal Energy Regulatory Commission (FERC). The FERC report recommended steps to ensure that our natural gas supply is weatherized to survive the next storm. It's up to you to pass strong rules to make that happen.

This current rule proposal allows any operator to simply opt out of weatherizing, even if they normally supply gas to electric generators. The Railroad Commission must act to ensure that operators supplying gas to electric generation facilities are weatherized.

The proposed rule also encourages operators who aren't supplying gas to electric generators to be designated as critical infrastructure. If electricity shortages and rolling power outages are required to keep the grid stable, facilities that are unnecessarily designated as critical infrastructure could actually cause more Texans to go without power.

Please strengthen this rule to avoid a repeat of last winter's tragedy, in which hundreds died and millions were left without power.

Sincerely,
Cheryl Carney
San Antonio, TX 78201

[REDACTED]

From: Sylvia Duncan [REDACTED]
Sent: Wednesday, October 27, 2021 8:37 PM
To: Rules Coordinator
Subject: Comment on Proposed Critical Infrastructure Rule

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Railroad Commission of Texas rulemaking,

Texans are counting on you to help ensure that we don't have a repeat of last February's deadly winter storm blackouts. State lawmakers asked the Railroad Commission to make rules to ensure that the gas supply chain was weatherized to function during future storms.

Gas fuel supply problems were the second largest cause of outages, after frozen electric generators. That's according to a recent report by the Federal Energy Regulatory Commission (FERC). The FERC report recommended steps to ensure that our natural gas supply is weatherized to survive the next storm. It's up to you to pass strong rules to make that happen.

This current rule proposal allows any operator to simply opt out of weatherizing, even if they normally supply gas to electric generators. The Railroad Commission must act to ensure that operators supplying gas to electric generation facilities are weatherized.

The proposed rule also encourages operators who aren't supplying gas to electric generators to be designated as critical infrastructure. If electricity shortages and rolling power outages are required to keep the grid stable, facilities that are unnecessarily designated as critical infrastructure could actually cause more Texans to go without power.

Please strengthen this rule to avoid a repeat of last winter's tragedy, in which hundreds died and millions were left without power.

Sincerely,
Sylvia Duncan
1117 Orlando Dr
Plano, TX 75075

From: antoinetterys@everyactioncustom.com on behalf of Antoinette Reyes
<antoinetterys@everyactioncustom.com>
Sent: Wednesday, October 27, 2021 9:09 PM
To: Rules Coordinator
Subject: Comments on 16 TAC §3.65 and §3.107 (New rule and amendment per SB 3 and HB 3648)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Texas Railroad Commission,

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's critical that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in winter storms.

This is serious. Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the railroad commission to provide strong rules and strict oversight to make sure this doesn't happen again.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. The RRCs current proposed rule language allows any operator to opt-out of "critical infrastructure" designation. Any operator that opts out will not be required to weatherize. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. All gas facilities that supply electric generators need to be weatherized.

Sincerely,
Antoinette Reyes
PO Box 3284 Mesilla Park, NM 88047-3284 antoinetterys@gmail.com

From: Robert Stevens <Robert.Stevens.484515445@p2a.co>
Sent: Wednesday, October 27, 2021 10:56 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Robert Stevens
1806 Stonegate Dr
Denton, TX 76205

From: Rita Rosas <Rita.Rosas.179771909@p2a.co>
Sent: Wednesday, October 27, 2021 10:54 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Rita Rosas
111 Lariat Ln
Dripping Springs, TX 78620

From: Ron Unger <Ron.Unger.98590207@p2a.co>
Sent: Wednesday, October 27, 2021 10:47 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Ron Unger
5902 Morningside Ave
Dallas, TX 75206

From: Robert Breckbill <Robert.Breckbill.121489799@p2a.co>
Sent: Wednesday, October 27, 2021 10:47 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Robert Breckbill
22325 Rock Wren
Spicewood, TX 78669

From: Dorothy Kraemer <Dorothy.Kraemer.88574738@p2a.co>
Sent: Wednesday, October 27, 2021 10:46 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Dorothy Kraemer
700 W Noton St
Pflugerville, TX 78660

From: Roger Keele <Roger.Keele.484514590@p2a.co>
Sent: Wednesday, October 27, 2021 10:35 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Roger Keele
3514 Tierwood Ct
Houston, TX 77068

From: Edrina Kallashi <Edrina.Kallashi.484514158@p2a.co>
Sent: Wednesday, October 27, 2021 10:25 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Edrina Kallashi
4006 Forest Ridge Landing
Houston, TX 77084

From: Margarita Bach <Margarita.Bach.59690399@p2a.co>
Sent: Wednesday, October 27, 2021 10:17 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Margarita Bach
304 Park Crest Ave
Eules, TX 76039

From: Ms. Melton <Ms.Melton.214313817@p2a.co>
Sent: Wednesday, October 27, 2021 10:00 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Ms. Melton
3209 Brookmeade Ct
Deer Park, TX 77536

From: Dorothea Vander Stoep <Dorothea.VanderStoep.484512105@p2a.co>
Sent: Wednesday, October 27, 2021 9:38 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Dorothea Vander Stoep
14900 Perthshire Rd
Houston, TX 77079

From: Jennifer Macia <Jennifer.Macia.88475008@p2a.co>
Sent: Wednesday, October 27, 2021 9:19 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Jennifer Macia
4305 Jonathan St
Bellaire, TX 77401

From: Mike Latta <Mike.Latta.484510332@p2a.co>
Sent: Wednesday, October 27, 2021 9:06 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Mike Latta
12 Los Ranchos Dr
Alpine, TX 79830

From: Linda Newton <Linda.Newton.477986027@p2a.co>
Sent: Wednesday, October 27, 2021 8:58 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Linda Newton
1407 Briar Point Ln
Brenham, TX 77833

From: Martha Latta <Martha.Latta.105648583@p2a.co>
Sent: Wednesday, October 27, 2021 8:55 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Martha Latta
12 Los Ranchos Dr
Alpine, TX 79830

From: Diane Evans <Diane.Evans.121483542@p2a.co>
Sent: Wednesday, October 27, 2021 8:46 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Diane Evans
5811 Bryan Pkwy
Dallas, TX 75206

From: Binhui Liu <Binhui.Liu.484507886@p2a.co>
Sent: Wednesday, October 27, 2021 8:29 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Binhui Liu
9023 Linkmeadow Ln
Houston, TX 77025

From: Tierra Ortiz-Rodriguez <Tierra.OrtizRodriguez.180325209@p2a.co>
Sent: Wednesday, October 27, 2021 8:08 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Tierra Ortiz-Rodriguez
11727 Pedernales Falls Ln
Sugar Land, TX 77498

From: Susan Witten <Susan.Witten.88493116@p2a.co>
Sent: Wednesday, October 27, 2021 8:06 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Please protect the citizens of Texas and close the loophole and require all gas facilities to weatherize.

Regards,
Susan Witten
723 Pleasant Valley Ln
Richardson, TX 75080

From: Rose Brewer <Rose.Brewer.121461465@p2a.co>
Sent: Wednesday, October 27, 2021 8:02 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Rose Brewer
2407 Lazybrook Dr
Houston, TX 77008

From: Jay Watkins <Jay.Watkins.484505248@p2a.co>
Sent: Wednesday, October 27, 2021 7:51 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Jay Watkins
11910 Heritage
Houston, TX 77024

From: Jeremy Estey <Jeremy.Estey.484504861@p2a.co>
Sent: Wednesday, October 27, 2021 7:47 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Jeremy Estey
2503 Elmen St
Houston, TX 77019

From: Stephen Holler <Stephen.Holler.41081592@p2a.co>
Sent: Wednesday, October 27, 2021 7:44 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Stephen Holler
14915 Windlea Ln
Houston, TX 77040

From: Douglas Stauffer <Douglas.Stauffer.477979223@p2a.co>
Sent: Wednesday, October 27, 2021 7:42 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Douglas Stauffer
1305 Lexington St
Taylor, TX 76574

From: Gaby Moidel <Gaby.Moidel.82469489@p2a.co>
Sent: Wednesday, October 27, 2021 7:42 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Gaby Moidel
614 Blue Iris Trail
Houston, TX 77079

From: Alexis Romo <Alexis.Romo.331061286@p2a.co>
Sent: Wednesday, October 27, 2021 7:34 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Alexis Romo
3701 Easton Meadows Dr
Garland, TX 75043

From: JIM JENNEN <JIM.JENNEN.484502656@p2a.co>
Sent: Wednesday, October 27, 2021 7:23 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

It's pretty obvious with last year's debacle that weatherization of the Texas electric grid canNOT be optional.

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
JIM JENNEN
442 Melrose Dr
Richardson, TX 75080

From: Carmen Flores <Carmen.Flores.82384654@p2a.co>
Sent: Wednesday, October 27, 2021 7:13 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Carmen Flores
2422 Albans Rd
Houston, TX 77005

From: Sandra Hanneman <Sandra.Hanneman.484501710@p2a.co>
Sent: Wednesday, October 27, 2021 7:10 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment. Please ensure that gas wells, pipelines, and generating plants are winterized so we don't face another widespread blackout like we did in February 2021. All gas wells, pipelines, and parts of the gas supply chain need to be prepared to operate in extreme weather conditions - hot and cold.

I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

My family, neighbors, and I are counting on the Railroad Commission to provide strong rules and oversight to make sure that what happened with power outages in February 2021 doesn't happen again.

All gas facilities need to be weatherized.

Thank you.
Sandra K. Hanneman
2011 Quenby Street
Houston, TX 77005

Regards,
Sandra Hanneman
2011 Quenby St
Houston, TX 77005

From: Laura Utrecht <Laura.Utrecht.250570876@p2a.co>
Sent: Wednesday, October 27, 2021 7:05 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Laura Utrecht
6229 Palo Pinto Ave
Dallas, TX 75214

From: Laura Vera <Laura.Vera.38176267@p2a.co>
Sent: Wednesday, October 27, 2021 7:04 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Laura Vera
2731 Mary Ln
Dickinson, TX 77539

From: Patricia Townsend <Patricia.Townsend.248758826@p2a.co>
Sent: Wednesday, October 27, 2021 7:04 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Patricia Townsend
6327 Saratoga Cir
Dallas, TX 75214

From: Pam Harper-Smith <Pam.HarperSmith.8428675@p2a.co>
Sent: Wednesday, October 27, 2021 7:03 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Pam Harper-Smith
1112 Neal Pickett Dr
College Station, TX 77840

From: Sara Fernandez <Sara.Fernandez.101480727@p2a.co>
Sent: Wednesday, October 27, 2021 6:56 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Sara Fernandez
1515 Hyde Park Blvd
Houston, TX 77006

From: Maryrose Cimino <Maryrose.Cimino.231199087@p2a.co>
Sent: Wednesday, October 27, 2021 6:48 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Maryrose Cimino
4304 Cobblers Ln
Dallas, TX 75287

From: Sonora Hudson <Sonora.Hudson.95133973@p2a.co>
Sent: Wednesday, October 27, 2021 6:47 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Sonora Hudson
1743 Esperanza St
Houston, TX 77023

From: Brian Salek <Brian.Salek.307412599@p2a.co>
Sent: Wednesday, October 27, 2021 6:46 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Brian Salek
414 Electra Dr
Houston, TX 77024

From: Kristin Lewis <Kristin.Lewis.214171248@p2a.co>
Sent: Wednesday, October 27, 2021 6:41 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Kristin Lewis
4110 Bluebonnet Dr
Stafford, TX 77477

From: Sturgis Sobin <Sturgis.Sobin.484498869@p2a.co>
Sent: Wednesday, October 27, 2021 6:39 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Sturgis Sobin
732 Arlington St
Houston, TX 77007

From: Gregory Lindquist <Gregory.Lindquist.95206521@p2a.co>
Sent: Wednesday, October 27, 2021 6:31 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Gregory Lindquist
5843 Ettrick Dr
Houston, TX 77035

From: Audra Croft <Audra.Croft.179680900@p2a.co>
Sent: Wednesday, October 27, 2021 6:23 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Audra Croft
18103 Angel Valley Dr
Leander, TX 78641

From: Rachael Olan <Rachael.Olan.484497202@p2a.co>
Sent: Wednesday, October 27, 2021 6:18 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Rachael Olan
1403 Vz County Rd 4614
Ben Wheeler, TX 75754

From: Joseph Manlapaz <Joseph.Manlapaz.484497211@p2a.co>
Sent: Wednesday, October 27, 2021 6:18 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Joseph Manlapaz
501 Heritage Way
Stephenville, TX 76401

From: Patricia Kanter-Kennedy <Patricia.KanterKennedy.147291042@p2a.co>
Sent: Wednesday, October 27, 2021 6:17 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Patricia Kanter-Kennedy
8603 Mayridge Cir
Houston, TX 77099

From: Tom Doyle <Tom.Doyle.484497095@p2a.co>
Sent: Wednesday, October 27, 2021 6:16 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Tom Doyle
8132 Mt Shasta Cir
Fort Worth, TX 76137

From: April Carne <April.Carne.212459160@p2a.co>
Sent: Wednesday, October 27, 2021 6:05 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
April Carne
1708 River Birch Dr
Flower Mound, TX 75028

From: Amardip Panesar <Amardip.Panesar.484495565@p2a.co>
Sent: Wednesday, October 27, 2021 5:58 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Amardip Panesar
624 Natches Trce
Coppell, TX 75019

From: Adriane O'Hara <Adriane.OHara.484495169@p2a.co>
Sent: Wednesday, October 27, 2021 5:53 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Adriane O'Hara
15309 English River Loop
Leander, TX 78641

From: Cynthia Roberts <Cynthia.Roberts.484494610@p2a.co>
Sent: Wednesday, October 27, 2021 5:46 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Cynthia Roberts
1604 Rock Creek Dr
Round Rock, TX 78681

From: Cathy Fulton <Cathy.Fulton.336002277@p2a.co>
Sent: Wednesday, October 27, 2021 5:45 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

To Governor Abbott, Rather than create bills that have nothing to do with actually helping Texas citizens, the electric grid and its suppliers are truly critical for all of Texas. This is what you should be focused on, Mr. Abbott, not your lame ass attempts to appease radical conservatives. Shame on you sir! We have real problems and issues going on in this state that continue to not be addressed. State agencies like TCEQ and the Railroad Commission don't do their ultimate job which is to protect our environment, air and water. Mr. Abbott you want to do you job? You could start by addressing the many failures of both these agencies. Current Railroad Commissioners are also a joke, especially Mr. Wright and all should be removed.

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Cathy Fulton
1211 TX-361
Port Aransas, TX 78373

From: Daniel Moulton <Daniel.Moulton.181198741@p2a.co>
Sent: Wednesday, October 27, 2021 5:45 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Daniel Moulton
3764 Chatham Ct Dr
Addison, TX 75001

From: Carl Kaping <Carl.Kaping.484494359@p2a.co>
Sent: Wednesday, October 27, 2021 5:43 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Carl Kaping
14314 Heath Falls Ln
Cypress, TX 77429

From: Deborah Heywood <Deborah.Heywood.60977001@p2a.co>
Sent: Wednesday, October 27, 2021 5:41 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Deborah Heywood
16614 John Silver Rd
Jamaica Beach, TX 77554

From: Carol Pennington <Carol.Pennington.168147959@p2a.co>
Sent: Wednesday, October 27, 2021 5:39 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Carol Pennington
1005 Bluebird Dr
Manchaca, TX 78652

From: Linda Cox <Linda.Cox.203324286@p2a.co>
Sent: Wednesday, October 27, 2021 5:35 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment. Fixing the electrical grid so that we Never suffer a winter storm like Feb 2021 should have been the only priority for our state this entire year. Another failure of the electrical grid is Not acceptable.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Linda Cox
1073 Greenwood Ln
Lewisville, TX 75067

From: Annette lott <Annette.lott.304112720@p2a.co>
Sent: Wednesday, October 27, 2021 5:34 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Annette lott
919 Waterview Cir
Richardson, TX 75080

From: Janet Woody <Janet.Woody.477958776@p2a.co>
Sent: Wednesday, October 27, 2021 5:33 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Janet Woody
2934 Waterfront Dr
Garland, TX 75042

From: Jan Farley <Jan.Farley.484493549@p2a.co>
Sent: Wednesday, October 27, 2021 5:33 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Jan Farley
5121 Palmetto St
Bellaire, TX 77401

From: Fred Fulton <Fred.Fulton.484493468@p2a.co>
Sent: Wednesday, October 27, 2021 5:32 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Fred Fulton
3718 Cragmont Ave
Dallas, TX 75205

From: Matt Spaethe <Matt.Spaethe.463622728@p2a.co>
Sent: Wednesday, October 27, 2021 5:29 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Matt Spaethe
613 Blue Mound Rd E
Haslet, TX 76052

From: Thomas West <Thomas.West.56878655@p2a.co>
Sent: Wednesday, October 27, 2021 5:28 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Thomas West
7027 E Grand Ave
Dallas, TX 75223

From: Bruce Radebaugh <Bruce.Radebaugh.484493099@p2a.co>
Sent: Wednesday, October 27, 2021 5:26 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Bruce Radebaugh
8222 Lakeshore Villa Dr
Humble, TX 77346

From: William Sweet <William.Sweet.199905197@p2a.co>
Sent: Wednesday, October 27, 2021 5:26 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This is an easily exploitable loophole that makes all but certain another catastrophic failure of our grid and energy supplies when, not if, similar weather occurs. ALL gas operators must be required to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. To avoid the enormous cost and loss of human life, all operators that supply gas to electric generation facilities must be classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. I am counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized. The residents of Texas deserve no less.

Regards,
William Sweet
9134 Gothic Dr
Universal City, TX 78148

From: Cherry Matthews <Cherry.Matthews.86642130@p2a.co>
Sent: Wednesday, October 27, 2021 5:25 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Cherry Matthews
1306 55th St
Galveston, TX 77551

From: Frances Heard <Frances.Heard.484492874@p2a.co>
Sent: Wednesday, October 27, 2021 5:25 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Frances Heard
5607 Carew St
Houston, TX 77096

From: Carole Wilmoth <Carole.Wilmoth.15578185@p2a.co>
Sent: Wednesday, October 27, 2021 5:19 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Carole Wilmoth
404 W Hillcrest St
Keene, TX 76059

From: Albert Tindall <Albert.Tindall.484491956@p2a.co>
Sent: Wednesday, October 27, 2021 5:13 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Albert Tindall
525 Edinburgh Ln
Coppell, TX 75019

From: David Morris <David.Morris.307407360@p2a.co>
Sent: Wednesday, October 27, 2021 5:12 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
David Morris
2514 Watts St
Houston, TX 77030

From: Betty da Silva-Draud <Betty.daSilvaDraud.109194466@p2a.co>
Sent: Wednesday, October 27, 2021 5:10 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Betty da Silva-Draud
11639 Briar Rose Dr
Houston, TX 77077

From: Linda Adamczyk <Linda.Adamczyk.121674568@p2a.co>
Sent: Wednesday, October 27, 2021 5:08 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this catastrophe doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Linda Adamczyk
6623 Duffield Dr
Dallas, TX 75248

From: Juli Kring <Juli.Kring.229945405@p2a.co>
Sent: Wednesday, October 27, 2021 5:07 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

I am contacting you today after learning that the Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation, creating an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies.

Please require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Juli Kring
12400 Brookglade Cir
Houston, TX 77099

From: Sharon Spalding <Sharon.Spalding.477904333@p2a.co>
Sent: Wednesday, October 27, 2021 5:04 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Sharon Spalding
7230 Leameadow Dr
Dallas, TX 75248

From: Ben LaLonde <Ben.LaLonde.484491208@p2a.co>
Sent: Wednesday, October 27, 2021 5:04 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Ben LaLonde
7318 Teas Cottage Dr
Conroe, TX 77304

From: Beth Soletsky <Beth.Soletsky.484490993@p2a.co>
Sent: Wednesday, October 27, 2021 5:02 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Beth Soletsky
4904 Milam St
Houston, TX 77006

From: Sheila Walton <Sheila.Walton.469006988@p2a.co>
Sent: Wednesday, October 27, 2021 5:00 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Sheila Walton
108 Bayshore Dr
Ingleside, TX 78362

From: Paula Pedersen <Paula.Pedersen.180045741@p2a.co>
Sent: Wednesday, October 27, 2021 11:18 PM
To: Rules Coordinator
Subject: Require all gas facilities to weatherize (16 TAC §3.65 and §3.107 public comments)

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Dear Rules Coordinator,

The Railroad Commission's current proposed rule language allows any gas operator to opt-out of "critical infrastructure" designation. This creates an easily exploitable loophole that risks repeating another catastrophic failure of our grid and energy supplies. I urge you to require ALL gas operators to weatherize their equipment.

After last winter's storms, the Texas legislature required the Railroad Commission and the PUC to assure that the gas wells, pipelines, and generating plants were winterized so that we don't face another big blackout. A recent FERC investigation noted that gas fuel supply issues were the second largest cause of outages, other than electric generator freezing issues. It's essential that all the gas wells, pipelines, and parts of the gas supply chain are prepared to operate in extreme weather conditions.

One of the key failures identified after the storm was that the gas compressors had failed to identify themselves as critical infrastructure that should not be turned off in a rolling blackout by the electric utilities that serve them. Any operator that opts out under RRC's proposed rule will not be required to weatherize. The proposed rule also only applies to gas facilities that receive power from the grid. Many gas wells are not connected to the grid but are still an important part of the fuel supply chain. I want to see all operators that supply gas to electric generation facilities classified as critical infrastructure.

Hundreds of people died as a result of power outages in February, and the disaster cost Texans hundreds of billions of dollars in damages. We are counting on the Railroad Commission to provide strong rules and basic oversight to make sure this doesn't happen again.

All gas facilities need to be weatherized.

Regards,
Paula Pedersen
125 Mossridge
Universal City, TX 78148

From: Marianne Lanphier <info@email.actionnetwork.org>
Sent: Wednesday, October 27, 2021 7:59 PM
To: Rules Coordinator
Subject: 16 TAC §3.65 and §3.107 - Comment on weatherization rule

CAUTION: This email originated from outside of the Railroad Commission of Texas. Do NOT click links or open attachments from unknown sources without first confirming the message is legitimate. If you believe this to be a malicious and/or phishing email, please contact the ITS Help Desk at 512-463-7229. Do not respond to or forward the email, click on any links or open any attachments without guidance from the Help Desk

Railroad Commission of Texas ,

I am writing to comment on the proposed rule for 16 TAC §3.65 and §3.107 (new rule and amendment per SB 3 and HB 3648).

This February, Winter Storm Uri caused massive power outages across Texas that led to hundreds of deaths and estimated damages of up to \$295 billion - making it the costliest natural disaster in Texas history. A preliminary assessment by the Federal Energy Regulatory Commission and the North American Electric Reliability Corporation (NERC) found that natural gas fuel supply issues were the second largest cause of outages and derates at electric generators, other than electric generator freezing issues.

After the 2011 winter power outages, FERC and NERC released a similar report recommending winterization strategies for the natural gas supply chain. The RRC did not issue any rulemakings to weatherize the natural gas supply chain. Please don't make the same mistakes again.

The proposed critical infrastructure rulemaking leaves Texans vulnerable to more widespread power outages, deaths, and billions in damages. First, the rule draft would allow any operator to apply for an exception to "critical infrastructure" designation. The rule does not specify any criteria that would allow the railroad to reject an application for an exception. This is extremely important, because facilities that are not designated as critical infrastructure will not be required to comply with future weatherization rules.

Next, the rule seems to apply only to natural gas facilities that are connected to the grid. Many natural gas wells are not connected to power from the grid, but are still necessary fuel sources

for the gas supply chain. Facilities that are not connected to the grid, but are supplying electric generators should still be considered critical so that they will be subject to future weatherization requirements.

The proposed rule is also problematic because it allows any natural gas facility to be designated as critical, even if it doesn't supply gas to an electric generator. This could result in more Texas residents being left without power when demand exceeds supply because utilities will prioritize critical infrastructure. Many utilities were already unable to rotate power outages during Winter Storm Uri. The Commission needs to map the natural gas supply chain to determine which facilities are actually critical and therefore need to be prioritized. As it stands, this rule could result in limited electricity supply being provided to non-critical industry improperly designated as critical.

Finally, Senate Bill 3 presented challenges for the RRC because it requires facilities to be prepared to operate in a weather emergency in order to be designated as critical infrastructure. However, facilities that aren't designated as critical will never be required to follow the RRC's weatherization rule. The RRC's impractical interpretation of SB 3 leaves Texans vulnerable. Please consider a phased approach to ensure that all gas facilities that supply fuel to electric generators are required to be considered as critical infrastructure and are held accountable to future weatherization rules.

Don't make critical infrastructure designation and weatherization rules optional. Texans are counting on the RRC to ensure grid reliability by finalizing meaningful gas supply chain weatherization rules.

Marianne Lanphier
marianne.lanphier@yahoo.com
903 South Weatherred Driv
Richardson, Texas 75080